



Canon Inkjet Printer - PIXMA TR4570S

Model No: CAN-I-TR4570S



Price:

Rs. 27,799

Warranty:

1 Years(s) manufacturer warranty.
1 Year Manufacturer Warranty.

Delivery:

Delivery - Standard 3 To 5 Working Days.

- Delivery Within 3 Working Days For Colombo And Suburbs, 5 Working Days For Other Locations.
- For Any Invoice Up To Rs.9,999, A Delivery Rate Of Rs.500 Will Be Charged.
- For Any Invoice From Rs.10,000 To 19,999, A Delivery Rate Of Rs.700 Will Be Charged.
- For Any Invoice From Rs.20,000 To 49,999, A Delivery Rate Of Rs.900 Will Be Charged.
- For Any Invoice From Rs.50,000 To 99,999, A Delivery Rate Of Rs.1200 Will Be Charged.
- For Any Invoice From Rs.100,000 To 149,999, A Delivery Rate Of Rs.1500 Will Be Charged.
- For Any Invoice From Rs.150,000 And Above, A Delivery Rate Of Rs.2000 Will Be Charged.

Specifications:

- Type: Fine Cartridge Inkjet Printer
- Model: TR4570S
- Printing Resolution: 4800 (horizontal)*1 x 1200 (vertical) dpi
- Print Head / Ink - Number of Nozzles: Total 1,280 nozzles
- Print Head / Ink - Ink Bottles / Toner Cartridge: Ink Cartridges
- Print Speed: Approx. 8.8 ipm (black) / 4.4 ipm (colour)
- Printable Width - Bordered: Top margin: 3 mm, Bottom margin: 5 mm, Left/Right margin: 3.4 mm
- Printable Width - Borderless: Up to 203.2 mm (8")
- Printable Area - Borderless Printing: (Supported Paper Size: A4, LTR, 4 x 6", 5 x 7", 8 x 10")
- Printable Area - Bordered Printing: Top margin: 3mm, Bottom margin: 5mm, Left / Right margin: each 3.4mm (LTR, LGL: Left: 6.4mm, Right: 6.3mm)
- Recommended Printing Area: Top margin: 32.5mm / Bottom margin: 33.5mm
- Paper Size: A4, A5, B5, LTR, LGL, 4 x 6", 5 x 7", 8 x 10", Envelopes (DL, COM10), Custom size (width 101.6 - 215.9mm, length 152.4 - 676mm)
- Paper Handling (Rear Tray): A4, LTR = 100
- Paper Handling (Front Tray): A4, LTR = 100
- Paper Weight: Plain Paper: 64 - 105g/m², Canon specialty paper: max paper weight: approx. 300g/m² (Photo Paper Pro Platinum PT-101)
- Ink End Sensor: Dot count
- Print Head Alignment: Manual
- Scan - Scanner Type: Flatbed
- Scan - Scanning Method: CIS (Contact Image Sensor)
- Scan - Optical Resolution: 600 x 1200dpi
- Scan - Scanning Bit Depth (Input / Output): 16bit / 8bit (grayscale)/ 48bit / 24bit (color)
- Scan - Line Scanning Speed: 1.2ms/line (300dpi)
- Scan - Scanning Speed: Approx. 15secs.
- Scan - Maximum Document Size: A4 / Letter (216 x 297mm)
- Copy - Maximum Document Size: A4 / Letter (216 x 297mm)

- Copy - Compatible Media: LTR/A4/A5/B5/4 x 6"/5 x 7"
- Copy - Image Quality: Fast, Standard
- Copy - Copy Speed: Approx. 27 sec / approx. 3.6 ipm
- Copy - Multiple Copy: Max. 99 pages
- Fax - Fax Type: Desktop Transceiver (Super G3 / Colour Communication)
- Fax - Applicable Line: PSTN
- Fax - Transmission Speed: Approx. 3 sec (Black) / approx. 1 min (colour)
- Fax - Fax Resolution: 8 pels/mm x 3.85 lines/mm (Standard)
- Fax - Print Size: A4, LTR, LGL
- Fax - Scanning Width: 208 mm (A4), 214 mm (LTR)
- Fax - Modem Speed: Maximum 33.6 kbps (Automatic fall back)
- Fax - Compression: MH, MR, MMR
- Network - Wireless LAN: wireless
- Bluetooth / NFC / Wifi: wifi
- System Requirements: Windows 10, Windows 8, Windows 7 SP1, Windows Vista SP5
- Interface: USB 2.0 Hi-Speed
- Storage Environment: Temperature: 0 - 40°C
- Power Consumption: Approx. 1.6 W
- Dimension (W x D x H): 435 x 608 x 435 mm
- Weight: Approx. 5.9 kg
- Colors: Black

Date: 2024-12-02 15:36