

Dell 24" Professional Monitor - P2422H

Model No: DELL-M-P2422H



Price:

Rs. 103,899

Warranty:

- 3 Years(s) manufacturer warranty.
- 3 Year Manufacturer Warranty.

Delivery:

Delivery - Standard 3 To 5 Working Days.

- Delivery Within 3 Working Days For Colombo And Suburbs, 5 Working Days For Other Locations.
- For Any Invoice Up To Rs.9,999, A Delivery Rate Of Rs.500 Will Be Charged.
- For Any Invoice From Rs.10,000 To 19,999, A Delivery Rate Of Rs.700 Will Be Charged.
- For Any Invoice From Rs.20,000 To 49,999, A Delivery Rate Of Rs.900 Will Be Charged.
- For Any Invoice From Rs.50,000 To 99,999, A Delivery Rate Of Rs.1200 Will Be Charged.
- For Any Invoice From Rs.100,000 To 149,999, A Delivery Rate Of Rs.1500 Will Be Charged.
- For Any Invoice From Rs.150,000 And Above, A Delivery Rate Of Rs.2000 Will Be Charged.

Specifications:

- Type: Professional Monitor
- Model: DELL-M-P2422H
- Display Panel Type: In-Plane Switching Technology(IPS)
- Display Panel Size: 24"
- Display Resolution: 1920 x 1080
- Display Refresh Rate: 60Hz
- Display Viewing Angle: 178 vertical & Horizontal
- Display Panel Tech: LED-backlit LCD monitor / TFT active matrix
- Display Aspect Ratio: 0.672916667
- Display Brightness: 250 cd/m²
- Display Contrast Ratio: 1,000:1 (typical)
- Display Colour Support: 16.7 Millions
- Display Anti Glare: Screen Coating- Anti-glare
- Display Response Time: 5 ms typical (Fast) (gray to gray),8 ms (Normal mode) (gray to gray)
- Pixel Pitch: 0.2745 mm x 0.2745 mm
- Touch Display: NO
- Curved Screen: NO
- Input Connectors: 1 x HDMI 1.4 (HDCP 1.4),1 x DisplayPort 1.2 (HDCP 1.4),1 x VGA,1 x SuperSpeed USB 5 Gbps (USB3.2 Gen 1) upstream,4 x SuperSpeed USB 5 Gbps (USB3.2 Gen 1)
- Display Position Adjustments: Tilt (-5° to 21°), Swivel (-45° to 45°), Pivot (-90° to 90°)
- Controls & Adjustments: Height adjustability stand 150 mm
- Environmental Standards / Compliant Standards: ENERGY STAR certified monitor, EPEAT Gold registered in the U.S,RoHS-compliant,TCO Certified Edge Displays,BFR/PVC free monitor (excluding external cables), Meets NFPA 99 leakage current requirements
- Voltage Required: AC 100-240 V (50/60 Hz)
- Power Consumption Operational: 12 W
- Power Consumption Standby: 0.3 Watt

• Color: Black

• Dimensions: With stand - width: 21.2 in - depth: 7.1 in - height: 19.5 in

• Weight: Without stand - 7.4 lbs

• Additional Accessories: 1 x DisplayPort cable - DisplayPort to DisplayPort - 6 ft,1 x USB 3.2 Gen 1 upstream cable

• Other Information: 3 Years Warranty

Date: 2024-12-02 15:10